



RENAULT
PRO+

Renault KANGOO

Efficient, adaptable and durable



Kangoo Van Technical Specifications

	ENERGY dCi 75	ENERGY dCi 90	ENERGY dCi 110	dCi 90 EDC	dCi 110 EDC
ENGINE					
Engine type	K9K			K9K DC4 Gen6	
Injection type	Direct (Turbo) Common Rail			Direct (Turbo) Common Rail	
Fuel type	Diesel			Diesel	
Number of cylinders	4			4	
Number of valves	8			8	
Particle Filter	Yes			Yes	
Max engine power kW (hp)	55 (75) at 4,000	66 (90) at 4,000	80 (110) at 4,000	67 (90)	81 (110)
Max torque Nm (rpm)	200 (1,750)	220 (1,750)	260 (1,750)	220 (1,750)	250 (1,750)
GEARBOX					
Type	JR5	JR5	TL4	EDC	EDC
Number of Forward Gears	5	5	6	6	6
Vehicle speeds (km/h) at 1000 rpm: in 1st gear	8.34	8.34	7.22	6.82	6.82
Vehicle speeds (km/h) at 1000 rpm: in 2nd gear	15.18	15.18	13.82	11.86	11.86
Vehicle speeds (km/h) at 1000 rpm: in 3rd gear	23.52	23.52	21.95	18.27	18.27
Vehicle speeds (km/h) at 1000 rpm: in 4th gear	33.23	33.23	32.12	25.94	25.94
Vehicle speeds (km/h) at 1000 rpm: in 5th gear	45.12	45.12	41.26	34.79	34.79
Vehicle speeds (km/h) at 1000 rpm: in 6th gear	-	-	48.05	44.93	44.93
Reverse	8.77	8.77	7.30	7.76	7.76
STEERING					
Turning circle between kerbs				10.7	
Turns lock-to-lock (PAS)				3.2	
DRIVE TRAIN					
Type	Traction				
TYRES					
Tyre size (ML19/ML20)	195/65 R15 91T/95T			195/65 R15 91T	
BRAKING SYSTEM					
Front disc brakes (mm) (Diameter/Thickness)	280/24	280/24	280/24	280/24	280/24
Rear drum (T) or disc (mm) (Diameter/Thickness)	T9"	T9"	274/11	274/11	274/11
Vehicle with increased payload Front disc brakes (mm) (Diameter/Thickness)	-	280/24	280/24		
Vehicle with increased payload Rear disc brakes (mm) (Diameter/Thickness)	-	274/11	274/11		
PERFORMANCE					
Maximum speed km/h (mph)	150 (93.21)	160 (99.42)	170 (105.64)	160 (99.42)	170 (105.64)
Acceleration 0-62 mph/h std veh. (s)	16.3	13.3	12.3	14.9	12.7
FUEL CONSUMPTION AND EMISSIONS*					
CO ₂ Emissions (g/km)	112	112	115	132	132
Urban - mpg (litres/100km)	60.1 (4.7)	60.1 (4.7)	58.9 (4.8)	51.4 (5.5)	51.4 (5.5)
Extra Urban - mpg (litres/100km)	67.3 (4.2)	67.3 (4.2)	67.3 (4.2)	58.9 (4.8)	58.9 (4.8)
Combined - mpg (litres/100km)	65.7 (4.3)	65.7 (4.3)	64.2 (4.4)	55.4 (5.1)	55.4 (5.1)
FUEL TANK CAPACITY					
Fuel Tank Capacity - Gallons (l)	13.2 (60)				
WEIGHT (KG)					
Kerb weight (min./max.)	1,280/1,430	1,280-1,430	1,290/1,430	1,300/1,430	1,300/1,430
Gross vehicle weight (ML19 / ML20)	1,950	1,950/2,100	1,950	1,950	1,950
Gross train weight	3,000	3,150	3,000	3,000	3,000
Average maximum payload* (ML19/ML20)	650	650/800	650	650	650
Unbraked trailer capacity	675	675	680	675	675
Braked trailer capacity	1,050	1,050	1,050	1,050	1,050
SERVICING INTERVALS					
Service Intervals	24,000 miles / 2 years			15,000 miles / 2 years	
WARRANTY					
Warranty	3 years / 100,000 miles warranty 3 years road side assistance				

*Official fuel consumption figures are produced for comparison purposes and are measured according to the European Regulation 692/2008 and may not reflect real life driving results. These figures are specific for a vehicle type and not for a single vehicle. Real world fuel (actual) consumption can vary as the fuel efficiency of a vehicle is influenced by driving behaviour, weather and road conditions. The use of technical equipment for example air conditioning, can also effect the fuel consumption. *Payload equals the Maximum Operating Mass (Gross Vehicle Mass or GVW) less the Kerb Mass. Kerb Mass is the weight of the complete vehicle including coolant, oil, a 90% full fuel tank, spare wheel and jack, but excluding driver and crew. All Kerb Masses, and therefore Payloads quoted are subject to a 5% manufacturing tolerance and are based on the base level model. Any additional equipment added (options or accessories), or the selection of a higher trim level, could result in a higher Kerb Mass and a reduced Payload, and may increase CO₂ and decrease MPG figures.

Kangoo Maxi Technical Specifications

	MAXI PANEL VAN				CREW VAN			
	ENERGY dCi 90	ENERGY dCi 110	dCi 90 Auto EDC	dCi 110 Auto EDC	ENERGY dCi 90	ENERGY dCi 110	dCi 90 Auto EDC	dCi 110 Auto EDC
ENGINE								
Engine type	K9K		K9K DC4 Gen6		K9K		K9K DC4 Gen6	
Injection type	Direct (Turbo) Common Rail							
Fuel type	Diesel							
Number of cylinders	4							
Number of valves	8							
Particle Filter	Yes							
Max engine power kW (hp)	66 (90)	81 (110)	67 (90)	81 (110)	66 (90)	81 (110)	67 (90)	81 (110)
Max torque Nm (rpm)	220 (1,750)	260 (1,750)	220 (1,750)	250 (1,750)	220 (1,750)	260 (1,750)	220 (1,750)	250 (1,750)
GEARBOX								
Type	JR5	TL4	EDC	EDC	JR5	TL4	EDC	EDC
Number of Forward Gears	5	6	6	6	5	6	6	6
Vehicle speeds (km/h) at 1000 rpm: in 1st gear	8.34	7.22	6.82	6.82	8.34	7.22	6.82	6.82
Vehicle speeds (km/h) at 1000 rpm: in 2nd gear	15.18	13.82	11.86	11.86	15.18	13.82	11.86	11.86
Vehicle speeds (km/h) at 1000 rpm: in 3rd gear	23.52	21.95	18.27	18.27	23.52	21.95	18.27	18.27
Vehicle speeds (km/h) at 1000 rpm: in 4th gear	33.23	32.12	25.94	25.94	33.23	32.12	25.94	25.94
Vehicle speeds (km/h) at 1000 rpm: in 5th gear	45.12	41.26	34.79	34.79	45.12	41.26	34.79	34.79
Vehicle speeds (km/h) at 1000 rpm: in 6th gear	-	48.05	44.93	44.93	-	48.05	44.93	44.93
Reverse	8.77	7.30	7.76	7.76	8.77	7.30	7.76	7.76
STEERING								
Turning circle between kerbs	10.7							
Turns lock-to-lock (PAS)	3.2							
DRIVE TRAIN								
Type	Traction							
TYRES								
Tyre size	195/65 R15 95T							
BRAKING SYSTEM								
Front disc brakes (mm) (Diameter/Thickness)	280/24							
Rear disc brakes (mm) (Diameter/Thickness)	274/11							
PERFORMANCE								
Maximum speed km/h (mph)	160 (99.42)	170 (105.64)	160 (99.42)	170 (105.64)	160 (99.42)	170 (105.64)	160 (99.42)	170 (105.64)
Acceleration 0-62 mph/h std veh. (s)	13.3	12.3	14.9	12.7	13.3	12.3	14.9	12.7
FUEL CONSUMPTION AND EMISSIONS*								
CO ₂ Emissions (g/km)	116	119	136	136	116	119	136	136
Urban - mpg (litres/100km)	58.9 (4.8)	57.7 (4.9)	49.6 (5.7)	49.6 (5.7)	58.9 (4.8)	57.7 (4.9)	49.6 (5.7)	49.6 (5.7)
Extra Urban - mpg (litres/100km)	65.7 (4.3)	65.7 (4.3)	55.5 (5.0)	55.5 (5.0)	65.7 (4.3)	65.7 (4.3)	55.5 (5.0)	55.5 (5.0)
Combined - mpg (litres/100km)	62.8 (4.5)	62.8 (4.5)	54.3 (5.2)	54.3 (5.2)	62.8 (4.5)	62.8 (4.5)	54.3 (5.2)	54.3 (5.2)
FUEL TANK CAPACITY								
Fuel Tank Capacity - Gallons (l)	13.2 (60)							
WEIGHT (KG)								
Kerb weight (min./max.)	1,357/1,496	1,373/1,512	1,395/1,540	1,395/1,540	1,424-1,540	1,441/1,540	1,465/1,540	1,465/1,540
Gross vehicle weight	2,200	2,200	2,200	2,200	2,200	2,200	2,200	2,200
Gross train weight	3,250	3,250	3,250	3,250	3,250	3,250	3,250	3,250
Average maximum payload [^]	800	800	800	800	740	740	735	735
Unbraked trailer capacity	715	720	715	720	745	750	745	750
Braked trailer capacity	1,050	1,050	1,050	1,050	1,050	1,050	1,050	1,050
SERVICING INTERVALS								
Service Intervals	24,000 miles / 2 years		15,000 miles / 2 years		24,000 miles / 2 years		15,000 miles / 2 years	
WARRANTY								
Warranty	3 years / 100,000 miles warranty 3 years road side assistance							

*Official fuel consumption figures are produced for comparison purposes and are measured according to the European Regulation 692/2008 and may not reflect real life driving results. These figures are specific for a vehicle type and not for a single vehicle. Real world fuel (actual) consumption can vary as the fuel efficiency of a vehicle is influenced by driving behaviour, weather and road conditions. The use of technical equipment for example air conditioning, can also affect the fuel consumption. [^]Payload equals the Maximum Operating Mass (Gross Vehicle Mass or GVW) less the Kerb Mass. Kerb Mass is the weight of the complete vehicle including coolant, oil, a 90% full fuel tank, spare wheel and jack, but excluding driver and crew. All Kerb Masses, and therefore Payloads quoted are subject to a 5% manufacturing tolerance and are based on the base level model. Any additional equipment added (options or accessories), or the selection of a higher trim level, could result in a higher Kerb Mass and a reduced Payload, and may increase CO₂ and decrease MPG figures.

Continue the Renault Kangoo experience
at www.renault.com.cy/vans



Contact Number
77 77 33 44

Although every effort has been made to ensure that the information contained within this brochure is as accurate and up to date as possible, Char. Pilakoutas Auto Alliance Limited reserves the right to modify its models without notice, including their characteristics, specifications, equipment and accessories. Brochures inevitably become out of date or inaccurate in some respects, in that such characteristics, specifications equipment, or accessories may be changed after the publication date given below and can differ from the descriptions given or the photos displayed. It is therefore necessary to check with your local Renault Distributor before purchasing any product that the characteristics, specifications, equipment or accessories of the vehicle on order are as advertised.