



**RENAULT
PRO+**

Renault TRAFIC

Powerful, clever and dynamic



Technical Specifications

	dCi 95	dCi 120	ENERGY dCi 125	ENERGY dCi 145
Emissions level	Euro 6			
Type mine	4FL002, 4FL013, 4FL019	3FL003, 3FL013, 3FL019	2FL003, 2FL013, 2FL019	1FL103, 1FL113, 1FL119
Max number of seats	3			
Warranty	3 years - 100,000 miles warranty 3 years road side assistance			
ENGINE				
Engine type	R9M H4 70 KW	R9M H4 89 KW	R9M D4 92 KW	R9M D4 107 KW
Engine capacity	1598			
Injection type	Common Rail			
Fuel type	Diesel			
Stop&Start with Energy Smart Management	N/A	N/A	Standard	Standard
Number of cylinders	4			
Number of valves	16			
Bore / Stroke (mm)	80 * 79.5			
Particules Filter	Yes (on engine)	Yes (on engine)	Yes (underbody)	Yes (underbody)
Max engine power (at rpm)	70 (95) at 3,500 rpm	88 (120) at 3,500 rpm	92 (125) at 3,500 rpm	107 (145) at 3,500 rpm
Max torque Nm (at rpm)	260 (1,500)	300 (1,500)	320 (1,500)	340 (1,500)
Fuel tank capacity (litres)	80			
GEARBOX				
Type	Manual : PF6			
Number of Forward Gears	6			
Vehicle speeds (Mph) at 1000 rpm: in 1st gear	6.63	6.63	7.02	6.75
Vehicle speeds (Mph) at 1000 rpm: in 2nd gear	12.39	12.39	13.95	13.42
Vehicle speeds (Mph) at 1000 rpm: in 3rd gear	19.97	19.97	22.75	21.89
Vehicle speeds (Mph) at 1000 rpm: in 4th gear	30.7	30.7	33.03	31.78
Vehicle speeds (Mph) at 1000 rpm: in 5th gear	39.17	39.17	42.62	41.0
Vehicle speeds (Mph) at 1000 rpm: in 6th gear	50.43	50.43	53.47	51.45
Reverse	7.12	7.12	8.01	7.71
STEERING				
Power assisted steering	Standard			
Turns lock-to-lock (PAS)	3.2			
Ø Turning circle between kerbs (m)	Short wheelbase : 11.84 Long wheelbase : 13.17			
Ø Turning circle between walls	Short wheelbase : 12.4 Long wheelbase : 13.73			
DRIVE TRAIN				
Type	Front wheel drive			
TYRES				
Tyre size (standard)	205/65 R16C 107/105T ENERGY dCi 145 engines : 215/65 R16C 106/104T			
Tyre size (with 17" alloy wheels 'Cyclade') - Standard on Sport versions, optional otherwise	215/60 R17C 109/107T			
BRAKING SYSTEM				
Servobrake: Single (S), Double (D) - ø (")	S 11"			
Front: plain disc (DP), Vent disc (DV) ø (mm)	DV: Ø 296x28 - Mono-piston Ø 60			
Rear: drum (T), plain disc (DP), Vent disc (DV) ø (mm)	DP: Ø 280x12 - Mono-piston Ø 41			
PERFORMANCE				
Maximum speed mph (km/h)	95 (154)	103 (166)	108 (174)	112 (181)
Acceleration 0-62 mp/h (seconds)	15.4	12.6	11.9	10.9
SERVICING INTERVALS				
Service Intervals	25,000 miles / 2 years			

† Official fuel consumption figures are produced for comparison purposes and are measured according to the European Regulation 692/2008 and may not reflect real life driving results. These figures are specific for a vehicle type and not for a single vehicle. Real world fuel (actual) consumption can vary as the fuel efficiency of a vehicle is influenced by driving behaviour, weather and road conditions. The use of technical equipment for example air conditioning, can also effect the fuel consumption.

Technical Specifications

dCi 120	
Emissions level	Euro 6c (6.2)
Max number of seats	9
Warranty	3 years - 100,000 miles warranty 3 years road side assistance
ENGINE	
Engine type	R9M 415
Engine capacity	1,598
Injection type	Common Rail
Fuel type	Diesel
Start/Stop + ESM	No
Number of cylinders	4
Number of valves	16
Bore / Stroke (mm)	80 * 79.5
Particules Filter	Yes (on engine)
Max engine power KW (hp)	89 (120)
Max engine power (rpm)	3,500
Max torque Nm (rpm)	300 (1,750)
Fuel tank capacity (litres)	80
GEARBOX	
Type	Manual
Number of Forward Gears	6
STEERING	
Power assisted steering	Standard
Turns lock-to-lock (PAS)	3.2
Ø Turning circle between kerbs (m)	Short wheelbase : 11.84 Long wheelbase : 13.17
Ø Turning circle between walls (m)	Short wheelbase : 12.4 Long wheelbase : 13.73
DRIVE TRAIN	
Type	Front wheel drive
TYRES	
Tyre size (standard)	215/65 R16
BRAKING SYSTEM	
Servobrake: Single (S), Double (D) - Ø (")	S 11"
Front: plain disc (DP), Vent disc (DV) Ø (mm)	DV: Ø 296x28 - Mono-piston Ø 60
Rear: drum (T), plain disc (DP), Vent disc (DV) Ø (mm)	DP: Ø 280x12 - Mono-piston Ø 41
PERFORMANCE	
Maximum speed mph (km/h)	103 (166)
FUEL CONSUMPTION	
CO ₂ emissions (g/km) (NEDC-BT V-HIGH)	166
Combined - mpg (litres/100km)*	39.8 - 40.4
SERVICE INTERVALS	
Service Intervals	25,000 miles / 2 years

* WLTP figures shown are for comparability purposes; only compare figures with vehicles tested to the same technical procedures. Actual real world driving results may vary depending on factors such as weather conditions, driving styles, vehicle load or any accessories fitted after registration. WLTP is a new test used for fuel consumption and CO₂ figures however until April 2020 the CO₂ figures are based on the outgoing (NEDC) test cycle which will be used to calculate vehicle tax on first registration.

Continue the Renault Traffic experience
at www.renault.com.cy/vans



Char **Pilakoutas**group

Contact Number
77 77 33 44

Although every effort has been made to ensure that the information contained within this brochure is as accurate and up to date as possible, Char. Pilakoutas Auto Alliance Limited reserves the right to modify its models without notice, including their characteristics, specifications, equipment and accessories. Brochures inevitably become out of date or inaccurate in some respects, in that such characteristics, specifications equipment, or accessories may be changed after the publication date given below and can differ from the descriptions given or the photos displayed. It is therefore necessary to check with your local Renault Distributor before purchasing any product that the characteristics, specifications, equipment or accessories of the vehicle on order are as advertised.